

HIGH PERFORMANCE FULL YARD SOUND SYSTEMS

A GUIDE TO YOUR PREPLANNED LANDSCAPE AUDIO OPTIONS

DISCREET STYLING



TITANIUM TWEETERS




PASSIVE RADIATORS




PREPLANNED OUTDOOR SYSTEMS

SITEONE LS KIT 1 • Approx. 1,500 SQFT




L-300 SOLSCAPE (SOLSUB10 + 4 X SOLSAT4) 40' RANGE

SITEONE LS KIT 2 • Approx. 2,500 SQFT




L-300 SOLSCAPE (SOLSUB10 + 4 X SOLSAT4) SOLSAT4 (PAIR) SOLSAT4 (PAIR) 40' RANGE

SITEONE LS KIT 3 • Approx. 3,000 SQFT



L-300 S11BP-IG 2 X LS64 60' RANGE

SITEONE LS KIT 4 • Approx. 3,500+ SQFT



L-300 L-300 S11BP-IG 4 X LS64 60' RANGE

TRUSTED & EXPERIENCED PREPLANNED PACKAGES




— Available at —
SiteOne
LANDSCAPE SUPPLY

SITEONE LS KIT 1

APPROX. 1,500 SQFT

- 1 x L-300 Amplifier
- 1 x SOLSUB10 Burial/Hardscape Sub.
- 4 x SOLSAT4 Landscape Speakers
(Integrated Stakes)



SITEONE LS KIT 3

APPROX. 3,000 SQFT

- 1 x L-300 Amplifier
- 1 x S11BP-IG Burial Subwoofer
- 2 x LS64 Landscape Speakers
- 2 x LSLS Stakes



SITEONE LS KIT 2

APPROX. 2,500 SQFT

- 1 x L-300 Amplifier
- 1 x SOLSUB10 Burial/Hardscape Sub.
- 8 x SOLSAT4 Landscape Speakers
(Integrated Stakes)



SITEONE LS KIT 4

APPROX. 3,500 SQFT +

- 2 x L-300 Amplifiers
- 1 x S11BP-IG Burial Subwoofer
- 4 x LS64 Landscape Speakers
- 4 x LSLS Stakes



SITEONE LS KIT 1 & 2 FEATURES



BURIAL OR HARDSCAPE



SPIKES INCLUDED



DISCREET STYLING



TWO-WAY DESIGN



• Simple, Fast & Flexible Installation | Easy Expandability




• Coaxial two way speakers



• Sound can be directed inwards/ eliminating disturbances to surrounding neighbors



• IPX6 Rated | Engineered to withstand any conditions from 4 ° to 176 °F (-15.5 ° to 80 °C)



• Mounting spikes included



• Burial speaker wire sold separately

Your 2 conductor wire, is all that's needed to plant the Kit 1 or 2 directly into your landscape. The SOLSAT4 satellite speakers come with rust-proof HDPE stakes attached that spike right into a foundation of rock, grass, and soil with ease. The 10" dual voice coil subwoofer body can be embedded underground or used over hardscape, providing resounding bass.

SITEONE LS KIT 3 & 4 FEATURES



THUNDERPOUNDING BASS








HIGH DEFINITION AUDIO





PASSIVE RADIATORS



TITANIUM TWEETERS

-  Cover more area than twice the LSAT count
-  Deep Resounding Bass
-  Tree mount or surface mount options
-  All mounting hardware included
-  Burial speaker wire sold separately





The bullet-style LS64 landscape loudspeaker provides just what you need for outdoor audio: rock-solid IPX6 build, premium drivers, heavy-duty 50W 70V taps, and flexible mounting hardware. With the powerful Ambisonic S11BP-1G burial subwoofer and L-300 amp, the entire system can be dialed in for a fantastic result.

From a simple sub/sat system near the patio, to a massive design with numerous subs and satellites covering literally acres of landscape, the scalability is essentially limitless. Any coverage and performance parameters you can imagine are now possible.

SITEONE LS KITS 1 & 2 SPECIFICATIONS

KIT 1

KIT 2



SOLSAT4

SOLSUB10

COMPONENT

WOOFER

SOLSAT4

4.25" Polypropylene

SOLSUB10

10" Dual Voice-Coil Polypropylene

TWEETER

0.75" PEI

N/A

FREQ. RESPONSE

90Hz-20kHz +/-10dB

35Hz – 150Hz +/-10dB

POWER HANDLING

120W - 240W

120W - 240W

IMPEDANCE

Kit 8 Ω Nominal

Kit 8 Ω Nominal

SPL

87dB +/- 3dB

N/A

FINISH

Weather & UV Resistant ABS

Sealed Enclosure for Low Bass Extension

DIMENSIONS

18" H x 5 3/4" W x 7 1/16" D

12 7/8" H x 15 3/4" Dia




60° Dispersion Range


360° Dispersion Range

SITEONE LS KITS 3 & 4 SPECIFICATIONS

KIT 3



KIT 4



* L-300 Subwoofer Amp: Engage LPF

Note: Only Engage LPF when using L-300 Subwoofer Amp on the SITEONE LS Kit 4

LS64

S11BP-IG

COMPONENT	LS64	S11BP-IG
WOOFER	6" Poly, Passive Radiator	11" Dual Voice Coil Polypropylene
TWEETER	1" Titanium	N/A
FREQ. RESPONSE	60Hz-20kHz +/-3dB	41Hz - 150Hz +/-3dB
POWER HANDLING	50W RMS 150W Peak	200W x 2 AES 400W x 2 Peak
IMPEDANCE	8 Ω or 70 V	8 Ω or 70 V
SPL	106dB	N/A
FINISH	Rugged Injected Molded Plastic	Rubber Surround Dark Brown Canopy
DIMENSIONS	11"L x 7"Dia x 7"H	12 3/16" Dia x 23" H 17" Dia x 8 7/16" Canopy



90° Dispersion Range


360° Dispersion Range

L-300 AMPLIFIER FEATURES

The new L-300 amplifier has been designed and engineered to deliver the best possible “Audiophile” quality sound.

Featuring 2 channels of clean power for many outdoor applications and designed with an IP-66 All-Weather Steel enclosure finish. Easily connects through

Bluetooth to your digital devices allowing you to play music content from your favorite streaming services or personal catalogs.



• All Weather Robust Stainless Steel enclosure IP-66



• Link Multiple Systems



• Bluetooth 5.0 Connectivity



BRIDGE

• BTL Bridge mode switch



• 120Hz LPF switch: to use as subwoofer amp



• Line in and out on Phoenix connectors



VOLUME

• Input sensitivity volume knob for matching gain to source (preamp)



• High Fidelity Performance



• Simple installation & wiring



COMPONENT

L-300

CHANNELS

2 Channels: 150W @ 8Ω | 250W @ 4Ω

MOUNTING

Surface Mount

CONNECTIVITY

Bluetooth

FINISH

All Weather IP66

DIMENSIONS

7" W x 6.25" D x 12.75" H

FEATURES

- 120Hz LPF switch as subwoofer amp
- BTL Bridge mode switch
- Input sensitivity

ADDITIONAL SOLUTIONS & DESIGNS



WHEN THE BEST SOUND MATTERS...

CHOOSE A CUSTOMIZED LANDSCAPE AUDIO DESIGN

Let our Design Services team design you the ideal sound coverage for your landscape audio system. With our expertise & experience, we can suggest the ideal type of system for your scenario and set up, and pinpoint specific listening areas and zones. We will specify the correct speaker placement & direction for each situation, adjusting each design to achieve the highest sound experience; for full quality and even coverage, without disturbing your neighbors.



SURFACEMOUNT



LANDSCAPE SPIKE



TREEMOUNT

The goal is to discreetly hide satellite speakers and subwoofers out of sight within plants, shrubs and trees while not compromising any performance. We will provide you with a system speaker position plan illustrating exactly where your satellite speakers and subwoofers will be placed within your landscape, to easily visualize your custom sound coverage before installation.

You'll be able to see your oasis before it's built.

Make sure your next outdoor installation blows your clients away.

Send design requests to: design@originacoustics.com


THE BEST CHOICE.



DSP-700



LSR60



6.5HD



10HDR-AW



12HDR-AW



S11BP



10BP-IG



12BP-IG



ROCK80 G



ROCK80 S



LSR80



6.5HD-AW-S



6.5HD-AW-L



1050 B/W



1060 B/W



1080 B/W



SiteOne[®]
LANDSCAPE SUPPLY

Limited Lifetime Warranty on SOLSCAPE & SOLSAT4 (KITS 1 & 2)

5 Year Limited Warranty on LS64 (KITS 3 & 4)

3 Year Limited Warranty on S11BP-IG (KITS 3 & 4)

3 Year Limited Warranty on L-300 Amp (KITS 1 - 4)